

Nov 23, 2023 CDC VAERS Data Updated

Information on the several CDC COVID-19 treatments, what is a vaccine, and information from the CDC about adverse reactions to vaccines. Information about prevention and treatment protocols recommended by medical doctors is available <https://covid19criticalcare.com>.

Oct 27, 2022

A Closer Look at the COVID Mortality Rate

The researchers broke down the demographics into smaller buckets, showing the increase in risk amongst older populations, and conversely, how infinitesimal the risk was amongst younger age groups. 0-19, fatality rate 0.0003 percent. 20-29 fatality rate 0.0003 percent 50-59, fatality rate 0.129 percent. These numbers are astounding and reassuringly low, across the board. But They are almost nonexistent for children

[A Closer Look at the COVID Mortality Rate \(theepochtimes.com\)](https://theepochtimes.com)

Nov 29, 2022

A Look Inside the COVID Vaccines and the Blood of the Vaccinated. Are unlisted ingredients in these vaccines' proprietary secrets or unintentional contaminants?

https://www.theepochtimes.com/health/peeking-inside-the-covid-vaccine_4881567.html

December 2022

The "TWITTER FILES" being released show that the Government and Twitter were lying about the COVID event, and blocking valid, truthful information from medical doctors. You are encouraged to read this and re-consider information you may have believed were true.

[New 'Twitter Files' Show Company Suppressed COVID Information From Doctors and Experts \(theepochtimes.com\)](https://theepochtimes.com)

December 2022

STUDY: Not Peer Reviewed. COVID-19 Vaccines: The Impact on Pregnancy Outcomes and Menstrual Function. "A worldwide moratorium on the use of COVID-vaccines in pregnancy is advised until randomized prospective trials document safety in pregnancy and long-term-follow-up in offspring."

[preprints202209.0430TheImpactonPregnancyOutcomesMenstrualFunction.v2.pdf \(laction.org\)](https://laction.org/preprints202209.0430TheImpactonPregnancyOutcomesMenstrualFunction.v2.pdf)

Feb 24, 2023

Dr. Fauci Comes Clean on Vaccines and Respiratory Viruses. (hint: they don't work.) "Attempting to control mucosal respiratory viruses with systemically administered non-replicating vaccines has thus far been largely unsuccessful."—Dr. Anthony Fauci

[Dr. Fauci Comes Clean on Vaccines and Respiratory Viruses \(theepochtimes.com\)](https://theepochtimes.com)

March 20, 2023

She was fired for completing VAERS reports on patients who had bad reactions to the mRNA treatments – Know that VAERS data is LOWER THAN TRUTH.

“...under the National Vaccine Injury Act of 1986, it’s a federal requirement for health care workers to report vaccine-related adverse events to VAERS.”

[Physician Assistant Fired for Reporting COVID-19 Vaccine Adverse Events to VAERS \(theepochtimes.com\)](https://www.theepochtimes.com/Physician-Assistant-Fired-for-Reporting-COVID-19-Vaccine-Adverse-Events-to-VAERS/)

Apr 21, 2023

RNA-Based Vaccine Technology: The Trojan Horse Did Not Contain mRNA. It Contains modRNA That Genetically Manipulates Healthy Cells.

https://www.theepochtimes.com/health/rna-based-vaccine-technology-the-trojan-horse-did-not-contain-mrna_5195804.html

Nov 14, 2023

New Report Raises Concerns That CDC Vaccine Adverse Event Reporting System Is Broken

A BMJ investigation found the CDC isn’t following its standards for maintaining VAERS, is missing safety signals, and essentially maintains two databases.

[New Report Raises Concerns That CDC Vaccine Adverse Event Reporting System Is Broken | The Epoch Times](https://www.theepochtimes.com/New-Report-Raises-Concerns-That-CDC-Vaccine-Adverse-Event-Reporting-System-Is-Broken/)

Reported reactions to vaccines in the US

The CDC Vaccine Adverse Reporting System (VAERS) is designed to receive reports of ANY problems with vaccines in the US. Comparing VAERS reports of COVID-19 reactions to those of FLU Vaccine reactions over the past years show that the COVID-19 treatment has a much higher number of bad reactions, and higher percentage of Death or life-threatening events or permanent disability than ANY TREATMENT REPORTED. Note the mRNA treatment is NOT A VACCINE based on the TRADITIONAL MEDICAL DEFINITION.

Sadly, an August 2021 newspaper report interviewed an emergency room doctor reporting 2-3 cases per day of COVID-19 Vaccine adverse reactions, but the doctor DOES NOT HAVE TIME TO REPORT TO VAERS. The VAERS data is most likely a low estimate of problems. As of Jan 27, 2023 VAERS reports 145,314 have had to go to the emergency room.

A video investigation found government doctors were being told NOT to REPORT problems with the mRNA treatment – so the VAERS DATA is most likely showing a much lower number than actual. [Federal Govt Whistleblower Goes Public with Secret Recordings: ‘Government Doesn’t Want to Show the \[COVID\] Vaccine is Full of Sh*t’; ‘Shove’ Adverse Effect Reporting ‘Under the Mat’ | Project Veritas](https://www.projectveritas.com/federal-govt-whistleblower-goes-public-with-secret-recordings-govt-doesnt-want-to-show-the-covid-vaccine-is-full-of-sh*t-shove-adverse-effect-reporting-under-the-mat/)

Article - Embalmers Have Been Finding Numerous Long, Fibrous Clots That Lack Post-Mortem Characteristics. [Embalmers Have Been Finding Numerous Long, Fibrous Clots That Lack Post-Mortem Characteristics \(theepochtimes.com\)](https://www.theepochtimes.com/Embalmers-Have-Been-Finding-Numerous-Long-Fibrous-Clots-That-Lack-Post-Mortem-Characteristics/)

Last but not least, if you or someone you love have received a COVID-19 vaccine and are experiencing side effects, be sure to report it:³⁴

1. If you live in the U.S., [file a report on VAERS](#)
2. Report the injury on [VaxxTracker.com](#), which is a nongovernmental adverse event tracker (you can file anonymously if you like)
3. [Report the injury on the CHD website](#)

Reports to VAERS of all FLU Vaccine adverse reactions

Date Range	Total Flu Reports	Death, Life Thr, Perm Dis.	%
Jan 2013-Dec 2013	10,130	330	3.3
Jan 2014-Dec 2014	11,116	301	2.7
Jan 2015-Dec 2015	9,548	304	3.2
Jan 2016-Dec 2016	9,828	251	2.6
Jan 2017-Dec 2017	9,856	269	2.7
Jan 2018-Dec 2018	10,530	264	2.5
Jan 2019-Dec 2019	8,895	202	2.3
Jan 2020-Dec 2020	12,813	157	1.2
Jan 2021- Dec 2021	11,136	653	5.9
Jan 2022-Dec 2022	11,891	619	5.2
Jan 2023-Dec 2023	9,289	479	5.2

Reports to VAERS of all COVID-19 treatment adverse reactions

(Note: On Oct 28, 2022, the VAERS system now lists two types of COVID products, Covid19 and Covid19-2. For this report, we include data from both products)

Date Range	Total Reports	Death, Life Threats, Perm Disability	%
Aug 23 2020- Nov 23, 2023	1,615,020*	135,950	8.4%

***152,994 had to go to the Emergency Room for treatment.**

Based on the CDC VAERS reports, the COVID-19 Treatments (2020-2022) are reporting many **times more deaths due to the treatment than the (2020-2022) Flu vaccines** are.

Event	Total Reports	Reported Deaths
Covid – 20-23	1,615,020	36,726
FLU-2023	9,289	131
FLU-2022	11,891	207
FLU – 2021	11,136	147

FLU – 2020	12,813	148
FLU – 2019	8,895	19
FLU – 2018	10,530	26
FLU – 2017	9,856	19
FLU – 2016	9,828	28
FLU – 2015	9,548	28

ONLY 4.3 % of VAERS Covid reports are for ages 0-17.

VAERS Report history – ALL VACCINES

– Each year the VAERS system received reports of adverse reactions to ANY VACCINE Product – While a large number of the reports have been related to the INFLUENZA Vaccines, it is helpful to understand the TOTAL Number of reports submitted. (**VAERS Date Received**)

Year	Total VAERS Reports	TOTAL Death, Life Threat/Perm Dis.	%
2013	27,893	793	2.8%
2014	30,771	802	2.6%
2015	33,522	886	2.6%
2016	31,687	835	2.6%
2017	30,190	838	2.8%
2018	40,668	818	2.0%
2019	40,123	681	1.7%
2020	57,765	2,246	3.9%
2021	1,059,925	80,041	7.6%
2022	523,340	47,787	9.1%
2023	146,543	13,443	9.2%

Reports to VAERS as of November 23, 2023, the COVID treatments deaths of 40,514 represent 68.41% of ALL VAERS reported VACCINE DEATHS, which total 59,315 for ALL VAERS HISTORY. (*There is a variance of deaths reported 40,514 vs 36,726, when comparing ALL vaccine deaths by vaccine type in VAERS , to only asking for COVID files from VAERS)

European Reported Data about the COVID-19 adverse reactions from the EudraVigilance – European database of suspected adverse drug reaction reports. 70% of all adverse reactions reported are for women, 28% for men.

https://www.adrreports.eu/en/search_subst.html#

Reports of ADVSERSE Reactions in Europe *Moderna, Pfizer, Astrazeneca, or Janssen treatments

Data as of Feb 3, 2023

Age Groups	TOTAL	%
Not Listed	132,127	6.1%
0-1 Month	824	0.0%
2M-2Years	1,256	0.1%
3-11 Years	5,524	0.3%
12-17 Years	33,930	1.6%
18-64 Years	1,684,535	77.3%
65-85 Years	285,746	13.1%
Over 85	35,638	1.6%
Totals	2,179,580	100.0%
Female	1,506,093	69.1%
Male	626,238	28.7%
not specified	47,249	2.2%
Totals	2,179,580	100.0%
Serious Outcomes - top 4		
General Disorders	1,372,660	41.7%
Nervous system disorders (Serious)	875,242	26.6%
Musculoskeletal /connective tissue	645,993	19.6%

Gastrointestinal	394,355	12.0%
TOTALS	3,288,250	100.0%

Outcomes, European reports (a person may experience multiple symptoms)

August 2021 – [A report from Europe](#), One Doctor of immunology’s opinion “There is enough evidence now just from the European Medicines Agency alone, 1.7 million in reported adverse events and 17,000 deaths that the four clinical trials should be stopped,” said Dolores Cahill, a professor at the school of medicine at the University College Dublin. – See the European section below for links and current data.

From Page 3 - Based on the CDC VAERS reports, the COVID-19 Treatment’s deaths are reporting over **many times more deaths reported due to the Covid-19 mRNA treatment than the (2020-2021) Flu vaccines** did. Based on the CDC VAERS reports, 77% of all serious problems were in people over 50 years old (or age unknown), and 65% were over 65 years old. **Curiously, the VAERS reports on Oct 15, 2021 have 19,886 of the Death, Permanent Disability, Life Threatening records listed as “Unknown Age”, or 35% of all records. It is most likely these patients were over 50 years old.**

ONLY 5.9% of VAERS Reports were under the age of 29.

Oct 2021 A lawsuit has been filed stating that the Medicare tracking system data reports over 50,000 patients have died within 14 days of the mRNA shot. This is critical, because the government currently does not classify someone as being vaccinated by the mRNA treatment until 15 days after the shot – Not much is known about this lawsuit, and the Medicare report data is not yet published. <https://new.finalcall.com/2021/10/05/federal-lawsuit-50000-people-dead-within-14-days-of-covid-shot-attorney-submits-medicare-and-medicaid-tracking-systems-data/>

URGENT NOTE to Parents: A Study reported on Sept 10, 2021 “[Teenage Boys More Likely to Suffer Heart Inflammation From Vaccines Than COVID-19 Hospitalization](#)”

Aug 2, 2022 Vaccine- Injured and Boosted Have Weaker, Overworked Immune Systems - [Vaccine-Injured and Boosted Have Weaker, Overworked Immune Systems \(theepochtimes.com\)](#)

What are the ingredients in COVID-19 vaccines?

(<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/faq.html>)

The ingredients in currently available COVID-19 vaccines include mRNA, lipids, salts, sugars, and buffers. Buffers help maintain the stability of the pH solution. Vaccine ingredients can vary by manufacturer. To learn more about the ingredients in authorized COVID-19 vaccines, see

- [Information about the Pfizer-BioNTech COVID-19 vaccine](#)
- [Information about the Moderna COVID-19 vaccine](#)
- [Information about the Johnson & Johnson/Janssen vaccine.](#)

EUA for Pfizer <https://www.fda.gov/media/144414/download>

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine

EUA for Moderna <https://www.fda.gov/media/144638/download>

The Moderna COVID-19 Vaccine is an unapproved vaccine

EUA for the Johnson & Johnson/Janssen <https://www.fda.gov/media/146305/download>

The Janssen COVID-19 Vaccine is an unapproved vaccine.

What is DNA/RNA DNA vs RNA / mRNA ? <https://www.dictionary.com/e/dna-vs-rna-vs-mrna-the-differences-are-vital/>

Published Medical protocols suggested for treatment –

[Zelenko Prophylaxis Protocol - DR Vladimir Zelenko MD](#)

Recommendations for Low, Medium and High-Risk patients

Medical views of the reasons NOT to take this mRNA treatment

Dr Byram Bridle, Viral Immunologist at the University of Guelph in Canada. WARNING of Damage - [Dr. Byram Bridle, A Virologist And Immunologist Says Peer Reviewed Journals Report Injected Covid-19 Spike Proteins Are A Toxin And Pathogenic Protein, Accumulating In Organs Including Spleen, Bone Marrow, Liver, Ovaries, Adrenal Glands In High Concentrations – Study Reports Chinese Scientists Created COVID-19, With NIH Funding, Approved By Dr Fauci, Dr Trump | A Green Road Journal | AGR Daily News](#)

<https://www.deconstructingconventional.com/post/18-reason-i-won-t-be-getting-a-covid-vaccine>

[160+ experts slam COVID vaccines as ‘unnecessary, ineffective and unsafe’ in powerful letter | News | Lifesitenews](#)

[If You've Had COVID, Please Don't Get Vaccinated \(mercola.com\)](#)

[‘Self-Spreading’ Vaccines Pose Multiple Risks to Society — Including the End of Informed Consent • Children's Health Defense \(childrenshealthdefense.org\)](#)

[Evidence grows stronger for Covid vaccine link to heart issue, CDC says \(nbcnews.com\)](#)

[Is Natural Immunity More Effective Than the COVID Shot? \(mercola.com\)](#) Aug 2021

[Adverse Effects of messenger RNA vaccines – University of Penn Medicine Center Dec 2020](#)

Dr. Robert Malone (mRNA vaccine inventor) discusses research on COVID-19 vaccines and choices of immunity treatments. [PART 2: Dr. Robert Malone on Ivermectin, Escape Mutants, and the Faulty Logic of Vaccine Mandates \(theepochtimes.com\)](#)

[Inventor of mRNA Vaccine Calls for STOP of COVID Vaxx! – 3% \(threepercentnation.com\)](#)

[Dr. Robert Malone: Children Who Have Had Covid Are at Higher Risk of Adverse Effects If You Vaccinate Them \(teamtuckercarlson.com\)](#)

[Janci Chunn Lindsay, Ph.D. Danger risks high, and there are less dangerous options for treatment than experimental DNA treatments.](#)

<https://www.initiativesforfamilyhealth.org/acip-public-comments>

September 2021 – California ICU Doctor Describes Nightmarish COVID-19 Vaccine Injuries In Letters to FDA, CDC, Lawyer Says Agencies Haven't Replied. "I can no longer silently accept the serious harm being caused by the Covid-19 vaccines," wrote Dr. Patricia Lee, MD.

[ICU Doctor Describes Nightmarish COVID-19 Vaccine Injuries In Letters To FDA, CDC, Lawyer Says Agencies Haven't Replied - National File](#)

December 2021 – [Suspended UK Doctor Unmasks Mask Mandate, Gets Reinstaed.](#) "Vaccination for a coronavirus has never been done successfully, so to roll it out without completion of full clinical trials, knowing full well the results of the SARs-CoV1 trials in animal studies, where they all died, was at best negligent but will in time likely be considered a far worse crime. It also vitiates any principle of informed consent with no long-term safety data available and insufficient short-term data."

[Suspended UK Doctor Unmasks Mask Mandate, Gets Reinstated \(theepochtimes.com\)](#)

What is the historic medical definition of a vaccine?

vac-cine (vak'sēn, vak-sēn'), Although this word is correctly stressed on the first syllable, in U.S. usage it is often stressed on the second syllable.

Originally, the live vaccine (vaccinia, cowpox) virus inoculated in the skin as prophylaxis against smallpox and obtained from the skin of calves inoculated with seed virus. Usage has extended the meaning to include essentially any preparation intended for active immunologic prophylaxis; for example, preparations of killed microbes of virulent strains or living microbes of attenuated (variant or mutant) strains; or microbial, fungal, plant, protozoal, or metazoan derivatives or products. Method of administration varies according to the vaccine, inoculation being the most common, but ingestion is preferred in some instances and nasal spray is used occasionally.

Synonym(s): [vaccinum](#)

[L. *vaccinus*, relating to a cow]

Farlex Partner Medical Dictionary © Farlex 2012

vaccine

Immunology A mixture of live, live-attenuated, killed, complete or incomplete microorganisms or their products, that contains antigens capable of stimulating production of specific protective antibodies against a pathogen; vaccines may be biochemically synthesized or made by recombinant DNA techniques Effective vaccines Diphtheria, HAV, HBV, influenza, measles, pertussis, *S pneumoniae*, tetanus

McGraw-Hill Concise Dictionary of Modern Medicine. © 2002 by The McGraw-Hill Companies, Inc.

Note: side effect is classified as 'serious' if it (i) results in death, (ii) is life-threatening, (iii) requires hospitalization or prolongation of existing hospitalization, (iv) results in persistent or significant disability/incapacity (as per reporter's opinion), (v) is a congenital anomaly/birth defect, or (vi) results in some other medically important conditions.

This page gives the official CDC statement about the VAERS system data and links to get more information. The CDC and FDA established [The Vaccine Adverse Event Reporting System](#) in 1990.

VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.

- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information.](#)

Data contains VAERS reports processed as of 02/26/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. [More information.](#)

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation](#) for more information.

In the United States, Congress gave immunity to the companies who created the COVID-19 treatments, paid for by the Project Warp Speed in 2020. The following article explains how the government program works to provide a limited funding, and what is going on with other countries who are trying to get the treatment. It is a very unusual product

- Pfizer is demanding countries put up sovereign assets, including bank reserves, military bases and embassy buildings, as collateral for expected vaccine injury lawsuits resulting from its COVID-19 inoculation
- Argentina and Brazil have rejected Pfizer's demands. According to legal experts, Pfizer is abusing its power
- In the U.S., vaccine makers already enjoy full indemnity against injuries occurring from the COVID-19 vaccine under the PREP Act. If you're injured, you'd have to file a compensation claim with the Countermeasures Injury Compensation Program (CICP), which is funded by U.S. taxpayers
- A significant problem with the CICP is that it's administered within the Department of Health and Human Services, which is also sponsoring the COVID-19 vaccination program. This conflict of interest makes the CICP less likely to admit fault with the vaccine

- The maximum CACP payout you can receive — even in cases of permanent disability or death — is \$250,000 per person, and you first have to exhaust your private insurance policy before the CACP kicks in

[Pfizer Bullies Nations to Put Up Collateral for Lawsuits \(mercola.com\)](https://www.mercola.com)

The mRNA treatment method used by the two Covid019 treatments is a controversial method with very little long-term study. Some scientists (MIT/Harvard) have demonstrated that it is reverse-transcribing into the human genome, altering our DNA.